

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Date of issue: 02/20/2014 Revision date: 04/28/2015 Supersedes: 02/20/2014

0/2014 Version: 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name	: OC Spray
Product name	: BEAR PEPPER MACE (AEROSOL)
Product code	: 80346, 80446
SDS ID	: 2015032

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Animal repellent device

#### 1.3. Details of the supplier of the safety data sheet

Mace Personal Defense & Security, Inc. 4400 Carnegie Avenue Cleveland, OH, 44103 Tel: 440-424-5321

#### 1.4. Emergency telephone number

Emergency number

: CHEMTREC (800) 424-9300 Outside USA: +1 703-527-3888 24 hours Customer ID: CCN13561

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US classification**

Flam. Aerosol 2H223Compressed gasH280Skin Irrit. 2H315Eye Irrit. 2AH319STOT SE 3H336Asp. Tox. 1H304

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### GHS-US labelling

Hazard pictograms (GHS-US)

GHS02 GHS04 GHS07 GHS08

: Danger

Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary statements (GHS-US)

: H223 - Flammable aerosol

- H280 Contains gas under pressure; may explode if heated
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation H336 - May cause drowsiness or dizziness
- H556 May cause drowsiness of dizziness
- : P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking P211 - Do not spray on an open flame or other ignition source
  - P251 Pressurized container: Do not pierce or burn, even after use
  - P261 Avoid breathing mist, spray, vapours
  - P264 Wash hands, forearms and face thoroughly after handling
  - P271 Use only outdoors or in a well-ventilated area
  - P280 Wear eye protection, protective clothing, protective gloves
  - P301+P310 If swallowed: Immediately call a POISON CENTER
  - P302+P352 If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

SDS ID: 2015032

EN (English)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P312 - Call a POISON CENTER if you feel unwell
P321 - Specific treatment (see First aid measures on this label)
P331 - Do NOT induce vomiting
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P410+P403 - Protect from sunlight. Store in a well-ventilated place
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0	10 - 20	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	10 - 20	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Acetone	(CAS No) 67-64-1	10 - 20	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Resins, oleo-, capsicum	(CAS No) 8023-77-6	10	Skin Irrit. 2, H315 Eve Irrit. 2A, H319

Full text of H-phrases: see section 16

#### SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. Call a physician immediately.
First-aid measures after inhalation	Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Do not apply salves or creams to affected area. If skin irritation persists, seek medical attention.
First-aid measures after eye contact	Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Contact the Poison Control Centre at 1-800-222-1222.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.

### Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Non known.	

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

5.2.	Special hazards arising from the	
Fire haz	zard	: Flammable aerosol.
Explosi	on hazard	<ul> <li>Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.</li> </ul>
5.3.	Advice for firefighters	
-irefigh	ting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when reaches explosives. Evacuate area.
Protecti	ve equipment for firefighters	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECT	ION 6: Accidental release m	easures
6.1.	Personal precautions, protective	equipment and emergency procedures
Genera	l measures	<ul> <li>No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Removignition sources. Use special care to avoid static electric charges.</li> </ul>
6.1.1.	For non-emergency personnel	
Emerge	ency procedures	<ul> <li>Evacuate unnecessary personnel. For further information refer to section 8 : Exposure- controls/personal protection.</li> </ul>
6.1.2.	For emergency responders	
Protecti	ve equipment	: Equip cleanup crew with proper protection.
Emerge	ency procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent	entry to sewers and public waters.	
6.3.	Methods and material for contai	nment and cleaning up
Method	s for cleaning up	<ul> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials.</li> </ul>
6.4.	Reference to other sections	
See He	ading 8. Exposure controls and perso	nal protection.
SECT	ION 7: Handling and storag	
7.1.	Precautions for safe handling	
Additior	hal hazards when processed	: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precaut	ions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent format of vapor. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Hygiene	e measures	: Wash hands thoroughly after handling. Wash hands and other exposed areas with mild soa and water before eating, drinking or smoking and when leaving work place.
7.2.	Conditions for safe storage, inc	uding any incompatibilities
Technic	al measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage	conditions	Keep only in the original container in a cool, well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly close
Incomp	atible products	: No additional information available.
Incomp	atible condition	: Sources of ignition. Direct sunlight. Heat sources.
7.3.	Specific end use(s)	
No add	itional information available	
	ION 8: Exposure controls/p	ersonal protection

Acetone (67-64-1)			
ACGIH	ACGIH TWA (ppm)	500 ppm	
ACGIH	ACGIH STEL (ppm)	750 ppm	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

#### Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

#### 8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate ventilation.

Personal protective equipment

: Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.



Hand protection

Wear protective oil and chemical gloves.Chemical goggles or safety glasses.

- Eye protection
- Skin and body protection
- Respiratory protection
- Other information

## Wear suitable protective clothing.In case of insufficient ventilation wear appropriate respiratory protection.

: Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and	i chemical properties
Physical state	: Liquid
Appearance	: Thin liquid
Color	: Red/ orang
Odor	: Pungent
Odor threshold	: No data available
рН	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 188 °C (370 °F)
Flash point	: 38°C (100 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.814 (water=1)
Solubility	: Insoluble in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: < 20.5 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional	information	available
NU auullulai	mornation	available

#### Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Thermal decomposition generates : Carbon dioxide, carbon monoxide and hydrocarbons.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use. Flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposure to fire conditions

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

#### 10.5. Incompatible materials

No additional inforation available.

#### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide, hydrocarbons.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Shortness of breath. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Risk of lung oedema.

#### **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

#### 12.2. Persistence and degradability

No additional information available

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

#### 12.3. **Bioaccumulative potential**

Acetone (67-64-1)			
BCF fish 1 Log Pow	0.69		
Log Pow	-0.24		
lsopropyl alcohol (67-63-0)	1		
Log Pow	0.05 (at 25 °C)		
Petroleum distillates, hydrotreated light (6474	12_47_8)		
BCF fish 1	61 - 159		
2.4. Mobility in soil			
o additional information available			
2.5. Other adverse effects			
ffect on ozone layer	: No additional information available		
	: No additional information available		
ECTION 13: Disposal consideration	5		
3.1. Waste treatment methods			
aste disposal recommendations	: Dispose in a safe manner in accordance with	n local/national regulations. Container under	
	pressure. Do not drill or burn even after use.		
dditional information	: Flammable vapors may accumulate in the co	ontainer.	
cology - waste materials	: Avoid release to the environment.		
ECTION 14: Transport information			
accordance with DOT			
ransport document description (ADR)	: ID8000 Consumer commodity, 9		
N-No.(DOT)	: ID8000		
roper Shipping Name (DOT)	: Consumer commodity		
azard Classes (DOT)	: 9 - Class 9 - Miscellaneous hazardous mate	rial 49 CFR 173.140	
azard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous mater	ials)	
	affin		
	9		
OT Packaging Exceptions (49 CFR 173.xxx)	: 167		
OT Packaging Non Bulk (49 CFR 173.xxx)	: 167		
OT Packaging Bulk (49 CFR 173.xxx)	: None		
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)			
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 30 kg gross		
dditional information			
ther information	: No supplementary information available.		
DR			
o additional information available			
ransport by sea o additional information available			
ir transport	: 8000		
<b>ir transport</b> N-No.(IATA)	: 8000 : Consumer commodity		
ir transport	: 8000 : Consumer commodity EN (English)	SDS ID: 2015032	6/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Class (IATA)

: 9 - Miscellaneous Dangerous Goods

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Acetone (67-64-1)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
Isopropyl alcohol (67-63-0)	
Listed on the United States TSCA (Toxic Substa Listed on United States SARA Section 313	nces Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)
Resins, oleo-, capsicum (8023-77-6)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### CANADA

Acetone (67-64-1)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Isopropyl alcohol (67-63-0)				
Listed on the Canadian DSL (Domestic Sustances List)				
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Resins, oleo-, capsicum (8023-77-6				
Listed on the Canadian DSL (Domestic Sustances List)				
Petroleum distillates, hydrotreated light (64742-47-8)				
Listed on the Canadian DSL (Domestic Sustances List)				

#### **EU-Regulations**

#### Acetone (67-64-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Isopropyl alcohol (67-63-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Petroleum distillates, hydrotreated light (64742-47-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

#### 15.2.2. National regulations

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

etone (67-64-1)	
ted on the AICS (Australian Inventory of Chemical Substances) ted on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) ted on the Japanese ENCS (Existing & New Chemical Substances) inventory ted on the Korean ECL (Existing Chemicals List) ted on NZIoC (New Zealand Inventory of Chemicals) ted on PICCS (Philippines Inventory of Chemicals and Chemical Substances) ted on the Canadian IDL (Ingredient Disclosure List)	
propyl alcohol (67-63-0)	
ted on the AICS (Australian Inventory of Chemical Substances) ted on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) ted on the Japanese ENCS (Existing & New Chemical Substances) inventory ted on the Japanese ISHL (Industrial Safety and Health Law) ted on the Korean ECL (Existing Chemicals List) ted on NZIoC (New Zealand Inventory of Chemicals) ted on PICCS (Philippines Inventory of Chemicals and Chemical Substances) ted on the Canadian IDL (Ingredient Disclosure List)	
sins, oleo-, capsicum (8023-77-6)	
ied on the AICS (Australian Inventory of Chemical Substances) ied on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) ied on the Korean ECL (Existing Chemicals List) ied on NZIoC (New Zealand Inventory of Chemicals) ied on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
roleum distillates, hydrotreated light (64742-47-8)	
ed on the AICS (Australian Inventory of Chemical Substances) ed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) ed on the Japanese ENCS (Existing & New Chemical Substances) inventory ed on the Korean ECL (Existing Chemicals List) ed on NZIoC (New Zealand Inventory of Chemicals) ed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	

15.3. US State regulations

#### **SECTION 16: Other information**

Revision date

: 04/29/2015

Full text of H-phrases:

 Asp. Tox. 1	Aspiration hazard, Category 1			
 Compressed gas	Gases under pressure : Compressed gas			
 Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A			
 Flam. Aerosol 2	Flammable aerosols, Category 2			
 Flam. Liq. 2	Flammable liquids Category 2			
 Flam. Liq. 3	Flammable liquids, Category 3			
 Skin Irrit. 2	Skin corrosion/irritation Category 2			
 STOT SE 3	Specific target organ toxicity (single exposure) Category 3			
 H223	Flammable aerosol			
 H225	Highly flammable liquid and vapour			
 H226	Flammable liquid and vapour			
 H280	Contains gas under pressure; may explode if heated			
 H304	May be fatal if swallowed and enters airways			
 H315	Causes skin irritation			
 H319	Causes serious eye irritation			
 H336	May cause drowsiness or dizziness			

The information presented herein is believed to be correct but is not purported to be all inclusive and shall be used only as a guide. AMSPEC Chemical shall not be held liable for any damage resulting from handling or from contact with the above product.